

DM-200B 04/03/18 Item # 13051

W x D x H 30" x 28" x 36^{3/8}"

SD-200 30" x 28" x 32^{13/16}"

DM-200B

Shown with optional KML-500MAJ Ice Machine





Features

Item #:_

- Durable stainless steel exterior
- Unique auger agitator design dispenses individual cubes
- Accommodates ice machine or manual fill
- Built-in storage capacity of 5.72ft3/200 lbs.*
- Dispenses ice and water with the touch of a button
- Dispenses 7.5 lbs. of ice per minute
- · Dispenses ice and water
- 8 ft. power cord with NEMA 5-15P plug
- · Optional 4" legs







CANADIAN ENERGY PERFORMANCE VERIFIED RENDEMENT ENERGETIQUE VERIFIE









Warranty:

3 Year Parts & Labor on entire machine. Valid in United States, Canada, Puerto Rico and U.S. Territories. Contact factory for warranty in other countries.

* Capacity based on volume x 30 lb/ft3 average density of ice.

Model	Exterior Dimensions	Interior Dimensions	Agitator	Max. Fuse Size or HACR Circuit Breaker	Amperage	Voltage	Shipping Weight	
DM-200B	30 ^{3/10} " x 28" x 36 ^{3/8} "	23" x 22 ^{3/8} " x 22 ^{1/2} "	14.5" diameter	15A	4.1A	115V/60/1	240 lbs.	

Power cord included.

Operating Limits

Ambient Temp Range

Water Temp Range
Water Property

Water PressureVoltage Range

10 - 113 PSIG 104 - 132V

45 - 100°F

45 - 90°F

Options

- 4" leg kit
- Top Kit (HS-2036) to accommodate KM-340, KM-515M, or KM-650M ice machines

Service

- If dispenser is to be permanently installed, allow a minimum clearance of 6" (15 cm) on the right side, for access to service the drive mechanism. Allow a minimum clearance of 24" (60 cm) above the dispenser for easy filling with ice.
- Panels easily removed and all components accessible for service.

Plumbing

- Water supply line: Minimum 1/8" Nominal ID Copper Water Tubing or Equivalent
- Drain line: Minimum 3/4" Nominal ID Hard Pipe or Equivalent

Printed in the U.S.A.


Hoshizaki reserves the right to change specifications without notice.




PUSH BUTTON (WATER) PUSH BUTTON (ICE) 924.8 660 [26] ADJUSTABLE LEGS (OPTIONAL) AIR-COOLED


11.39 Front 197 [7.76] AIR-COOLED







 $\frac{\text{mm}}{[\text{inch}]}$



Unique auger agitator design dispenses individual cubes.