AXIOM-DV-3 RFID (2U/1L Warmer)

19.7" x 22.2" x 8.4" (50.0cm x 56.4cm x 21.3cm)



Servers and airpots sold separately

- Adjusts automatically to varying water pressure
- Automatic warmer shut-off when decanter is removed or freshness time has expired
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Ensure coffee quality with programming for brew level, cold brew lock- out and tank temperature, set easily from the front of the machine
- Coffee extraction controlled with programmable pre-infusion, pulse brew and digital temperature control
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Energy-saver mode reduces tank temperature during idle periods
- · SplashGard® funnel deflects hot liquids away from the hand
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- Tracks the age of brewed coffee
- Works with glass decanters, or thermal carafes with RFID chip
- Warmers automatically deactivate when used with thermal carafes with RFID chip
- ***Use of non-RFID accessories with RFID-enabled brewers will not result in BrewWISE benefits

Agency:

Warmers: Two Upper/ One Lower





Specifications

Product #: 38700.0080

Water Access: Plumbed

Finish: Stainless

Funnel: Stainless Steel

Faucet: Upper

Additional Features

RFID Technology

Smart Funnel Compatible

BrewWISE

Electrical & Capacity

	Amps Watts Cord Attached Plug Type 8oz cups/hr Input H²O Phase # Wires plus Ground Hertz									
Volts	Amps	Watts		Plug Type			Phase		Hertz	
120	15.0	1800	Yes	NEMA 5-15P	67	60°F (15.5°C)	1	2	60	
120/208	16	2980	-	N/A	-	60°F (15.5°C)	1	3	60	
120/240	18	3850	-	N/A	-	60°F (15.5°C)	1	3	60	

Plumbing Requirements

PSI	kPa Fitting Supplied		Water Flow Required (GPM)		
20-90	138-621	1/4" Male Flare Fitting	-		

CAD Drawings


2D	Revit	KLC
•		

Created on:

09/13/2017



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



- 17.7 -

- 22.1 -

Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	8.4 in.	19.7 in.	22.2 in.	11.9 in.	29.0 in.	25.8 in.	35.150 lbs	6.319 ft ³
Metric	21.3 cm	50.0 cm	56.4 cm	30.2 cm	73.7 cm	65.5 cm	15.944 kgs	0.179 m³



8.0

8.4 -

19.75

Related Products & Accessories: AXIOM-DV-3 RFID (2U/1L Warmer)(38700.0080)



FILTERS,REGULAR1M 500/2 50/CL

Product #: 20115.0000



PAPEL FILTRANTE

Product #: 20115.0000



FUNNEL ASSY, SST-BLK HDL(7.12

Product #: 20216.0000



EMBUDOS

Product #: 20216.0000







KIT RFID ASSY, HOLDER & STRAP

Product #: 42931.1000



Sensor con accesorios

Product #: 42931.1000





Serving & Holding Options: AXIOM-DV-3 RFID (2U/1L Warmer)(38700.0080)



EASY POUR,(BLK) 1/CS

Product #:06100.0101



EASY POUR, (BLK) 2/CS

Product #:06100.0102



JARRAS

Product #:06100.0102



EASY POUR,(BLK) 3/CS

Product #:06100.0103



JARRAS

Product #:06100.0103



EASY POUR, (BLK) 6/CS

Product #:06100.0106



JARRAS

Product #:06100.0106



EASY POUR, (BLK) 12/CS

Product #:06100.0112



EASY POUR,(BLK) 24/CS

Product #:06100.0124



EASY POUR,(BLK) 6-1/

Product #:06100.0156



EASY POUR,(ORN) 1/CS

Product #:06101.0101



EASY POUR,(ORN) 2/CS

Product #:06101.0102



JARRAS

Product #:06101.0102



EASY POUR,(ORN) 3/CS

Product #:06101.0103



EASY POUR, (ORN) 6/CS

Product #:06101.0106



JARRAS

Product #:06101.0106



EASY POUR,(ORN) 12/ CS

Product #:06101.0112



EASY POUR,(ORN) 24/ CS

Product #:06101.0124



DECANTER,GLASS-BLK 12C 24/CS

Product #:42400.0024



DECANTER,GLASS-BLK 12CUP 1PK

Product #:42400.0101



Serving & Holding Options: AXIOM-DV-3 RFID (2U/1L Warmer)(38700.0080)





DECANTER,GLASS-ORN 12C 24/CS

Product #:42401.0024



DECANTER, GLASS-ORN 12 CUP 1PK

Product #:42401.0101



